

zandleven coatings

Corrosion classification according ISO 12944-5:2018

Durability	System no.	Туре	Product	DFT	
C3	Hot Dip Galvanised steel				
	1	EP	Monopox ZF Universal	60	m
		PUR	Polyfinish HS	60	m
			Total	120	m
15 . 25 years					
	2	EP	Monopox Metalsealer	60	m
		PUR	Polyfinish Ijzerglimmer HB	60	m
			Total	120	m
	1	EP	Monopox ZF Universal	80	m
		PUR	Polyfinish HS	80	m
			Total	160	m
> 25 years					
	2	EP	Monopox Metalsealer	80	m
		PUR	Polyfinish Ijzerglimmer HB	80	m
			Total	160	m

The systems mentioned above are example systems. In many cases there is asked for specific demands by an contracting party and/or applicator. Please contact our technical department for a tailor made advice.

Validation date: 2-7-2018



