



Printing date 06.02.2025 Version: 11 (replaces version 10) Revision: 06.02.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

Trade name: ZANDGUARD NOVACURE HR

· Article number: 2D27-1 · UFI: YHRC-01N3-T00X-EH4J

1.2 Relevant identified uses of the substance or mixture and uses advised against

· Sector of Use

SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites

SU19 Building and construction work

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

· Product category PC9a Coatings and paints, thinners, paint removers

· Process category

PROC7 Industrial spraying

PROC10 Roller application or brushing

PROC19 Manual activities involving hand contact PROC13 Treatment of articles by dipping and pouring

· Application of the substance / the mixture solvent based, two component epoxy coating base

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Zandleven Coatings B.V.

Snekertrekweg 57-59, 8912 AA Leeuwarden, Netherlands

Tel: +31 58 2129545 Fax: +31 58 2155996

E-mail: info@zandleven.com Internet: www.zandleven.com

· Further information obtainable from: R&D department: sds@zandleven.com

· 1.4 Emergency telephone number:

Nationaal Vergiftigingen Informatie

+31 (0)88 755 8000

ORFILA (INRS): + 33 (0)1 45 42 59 59 Centres Antipoison et de Toxicovigilance

ANGERS: 02 41 48 21 21 BORDEAUX: 05 56 96 40 80 LILLE: 0800 59 59 59 LYON: 04 72 11 69 11 MARSEILLE: 04 91 75 25 25 NANCY: 03 83 22 50 50 PARIS: 01 40 05 48 48 STRASBOURG: 03 88 37 37 37

STRASBOURG: 03 88 37 37 37 TOULOUSE: 05 61 77 74 47

Giftnotruf der Charité, Berlin: 030/19240

Giftinformationszentrum-Nord der Länder Bremen, Hamburg, Niedersachsen und Schleswig-Holstein (GIZ-

Nord):0551/19 240

Informationszentrale gegen Vergiftungen Zentrum für Kinderheilkunde Universitätsklinikum Bonn: 0228/19240 Giftnotruf Erfurt Gemeinsames Giftinformationszentrum der Länder Mecklenburg-Vorpommern, Sachsen,

Sachsen-Anhalt und Thüringen: 0361/730 730

Informations- und Beratungszentrum für Vergiftungsfälle Klinik für Kinder- und Jugendmedizin

Universitätsklinikum des Saarlandes: 06841/19240

Giftinformationszentrum der Länder Rheinland-Pfalz und Hessen - Klinische Toxikologie - Universitätsmedizin der Johannes Gutenberg-Universität Mainz: 06131/19240

Vergiftungs-Informations-Zentrale Zentrum für Kinder- und Jugendmedizin Universitätsklinikum: 0761/19240 Giftnotruf München Toxikologische Abteilung der II. Med. Klinik und Poliklinik: 089/19240

+31 (0)58 2677590 (during office hours)

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Flam. Liq. 3 H226 Flammable liquid and vapour. Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage.
Skin Sens. 1 H317 May cause an allergic skin reaction.

(Contd. on page 2)





Printing date 06.02.2025 Version: 11 (replaces version 10) Revision: 06.02.2025

Trade name: ZANDGUARD NOVACURE HR

(Contd. of page 1)

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

- · 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms









GHS02

GHS05

· Signal word Danger

· Hazard-determining components of labelling:

bis[4-(2,3-epoxypropoxy)phenyl]propane

butanol

bisphenol-F-(epichlorhydrin) epoxy resin

Reaction products of fatty acids, tall oil and fatty acids, C18 unsaturated, trimers and fatty acids, C18 unsaturated, dimers with (9Z)-octadec-9-en-1-amine

Hazard statements

H226 Flammable liquid and vapour.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water

[or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor. P310 P362+P364 Take off contaminated clothing and wash it before reuse.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Additional information:

EUH205 Contains epoxy constituents. May produce an allergic reaction.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable. vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:

Percentages of the components are expressed as a percentage by weight

	CAS: 1675-54-3	bis[4-(2,3-epoxypropoxy)phenyl]propane	10-25%
	EINECS: 216-823-5	Aquatic Chronic 2, H411; 🗘 Skin Irrit. 2, H315; Eye Irrit. 2, H319;	
	Index number: 603-073-00-2	Skin Sens. 1, H317	
	Reg.nr.: 01-2119456619-26	Specific concentration limits: Eye Irrit. 2; H319: C ≥ 5 %	
	-	Skin Irrit. 2; H315: C ≥ 5 %	
Ī	CAS: 28064-14-4	bisphenol-F-(epichlorhydrin) epoxy resin	2.5-10%
	NLP: 500-006-8	Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317, EUH205	
ſ	CAS: 1330-20-7	xylene	2.5-10%
	EINECS: 215-535-7	Flam. Liq. 3, H226; Sap. Tox. 1, H304; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3,	
	Index number: 601-022-00-9	Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3,	
	Reg.nr.: 01-2119488216-32	H335	
_		(0.1	d 0\

(Contd. on page 3)





Printing date 06.02.2025 Version: 11 (replaces version 10) Revision: 06.02.2025

Trade name: ZANDGUARD NOVACURE HR

		ntd. of page 2)
CAS: 78-83-1 EINECS: 201-148-0 Index number: 603-108-00-1	butanol	2.5-10%
Reg.nr.: 01-2119484609-23	,	
CAS: 100-41-4 EINECS: 202-849-4 Index number: 601-023-00-4 Reg.nr.: 01-2119489370-35	ethylbenzene Flam. Liq. 2, H225; STOT RE 2, H373; Asp. Tox. 1, H304; Acute Tox. 4, H332; Aquatic Chronic 3, H412	1-2.5%
EC number: 942-330-6 Reg.nr.: 01-2120101675-63	Reaction products of fatty acids, tall oil and fatty acids, C18 unsaturated, trimers and fatty acids, C18 unsaturated, dimers with (9Z)-octadec-9-en-1-amine STOT RE 2, H373; Eye Dam. 1, H318; Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1A, H317; Aquatic Chronic 3, H412	<1%

[·] Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately rinse with water.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- · 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralising agent.

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 4)





Printing date 06.02.2025 Version: 11 (replaces version 10) Revision: 06.02.2025

Trade name: ZANDGUARD NOVACURE HR

See Section 13 for disposal information.

(Contd. of page 3)

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles:

Store material in original, well-closed packages in a cool, well-ventilated area according to local regulations.

- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.
- · Recommended storage temperature: 5 30 °C
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

	ts with limit values that require mor	nitoring at the workplace:
1330-20-7		
Lo	nort-term value: 442 mg/m³, 100 ppm ong-term value: 221 mg/m³, 50 ppm kin	
100-41-4	ethylbenzene	
Lo	nort-term value: 884 mg/m³, 200 ppm ong-term value: 442 mg/m³, 100 ppm kin	
DNEL (De	rived No Effect Level) for workers:	
1675-54-3	bis[4-(2,3-epoxypropoxy)phenyl]pr	opane
Dermal	Long-term - systemic effects, worker	0.75 mg/kg bw/day (worker)
Inhalative	Long-term - systemic effects, worker	4.93 mg/m³ (worker)
1330-20-7	xylene	
Dermal	Long-term - systemic effects, worker	212 mg/kg bw/day (worker)
Inhalative	Acute - systemic effects, worker	442 mg/m³ (worker)
	Acute - local effects, worker	442 mg/m³ (worker)
	Long-term - systemic effects, worker	221 mg/m³ (worker)
	Long-term - local effects, worker	221 mg/m³ (worker)
78-83-1 b	utanol	
Inhalative	Long-term - local effects, worker	310 mg/m³ (worker)
100-41-4	ethylbenzene	
Dermal	Long-term - systemic effects, worker	180 mg/kg bw/day (worker)
Inhalative	Acute - local effects, worker	293 mg/m³ (worker)
	Long-term - systemic effects, worker	77 mg/m³ (worker)
	products of fatty acids, tall oil and t ed, dimers with (9Z)-octadec-9-en-1	fatty acids, C18 unsaturated, trimers and fatty acids, C1 -amine
Dermal	Long-term - systemic effects, worker	0.43 mg/kg bw/day (worker)
Inhalative	Long-term - systemic effects, worker	0.75 mg/m³ (worker)

— FII



Printing date 06.02.2025 Version: 11 (replaces version 10) Revision: 06.02.2025

Trade name: ZANDGUARD NOVACURE HR

DNEL (Do	rived No Effect Level) for the general p	olulatio	(Contd. of p
	bis[4-(2,3-epoxypropoxy)phenyl]propa		11.
Oral	Long-term - systemic effects, general po		0.5 mg/kg bw/day (general population)
Dermal			0.0893 mg/kg bw/day (general population)
	Long-term - systemic effects, general po	-	
1330-20-7			
Oral	•	pulation	12.5 mg/kg bw/day (general population)
Dermal	Long-term - systemic effects, general po	-	
Inhalative	Acute - systemic effects, general popula	-	260 mg/m³ (general population)
	Acute - local effects, general population		260 mg/m³ (general population)
	Long-term - systemic effects, general po	pulation	65.3 mg/m³ (general population)
	Long-term - local effects, general popula	ition	65.3 mg/m³ (general population)
78-83-1 bu	utanol		
Inhalative	Long-term - local effects, general popula	ition	55 mg/m³ (general population)
100-41-4 e	ethylbenzene		
Oral	Long-term - systemic effects, general po	-	
	Long-term - systemic effects, general po	•	, ,
Reaction unsaturat	ed, dimers with (9Z)-octadec-9-en-1-an	nine	C18 unsaturated, trimers and fatty acids, C
Oral	1	-	0.11 mg/kg bw/day (general population)
Dermal	1	-	0.21 mg/kg bw/day (general population)
	Long-term - local effects, general popula		11.3 mg/kg (general population)
Inhalative	Long-term - systemic effects, general po	pulation	0.37 mg/m³ (general population)
PNEC (Pro	edicted No Effect Concentration) value	s:	
1675-54-3	bis[4-(2,3-epoxypropoxy)phenyl]propa	ane	
Aquatic co	mpartment - freshwater	0.006 m	g/L (freshwater)
Aquatic co	ompartment - marine water	0.001 m	g/L (marine water)
-	ompartment - water, intermittent releases	- ,	
•	ompartment - sediment in freshwater	l	g/kg sed dw (sediment fresh water)
	ompartment - sediment in marine water	l	g/kg sed dw (sediment marine water)
	compartment - soil	0.065 mg/kg dw (soil)	
_	eatment plant	10 mg/L (sewage treatment plant)	
	ndary poisoning	11 mg/k	g food (food sec poisoning)
1330-20-7			
=	ompartment - freshwater	l	g/L (freshwater)
=	ompartment - marine water		g/L (marine water)
-	•		g/L (intermittent release water)
•	ompartment - sediment in freshwater	l	g/kg sed dw (sediment fresh water)
-	ompartment - sediment in marine water	l	g/kg sed dw (sediment marine water)
	compartment - soil	_	/kg dw (soil)
	eatment plant	o.so mg	/L (sewage treatment plant)
78-83-1 bu	ompartment - freshwater	0.4 ma/	_ (freshwater)
•	ompartment - mesnwater ompartment - marine water	-	_ (rresnwater) /L (marine water)
•	ompartment - marine water ompartment - water, intermittent releases	_	. (intermittent release water)
•	ompartment - sediment in freshwater	_	/kg sed dw (sediment fresh water)
-	ompartment - sediment in marine water	_	g/kg sed dw (sediment mesh water)
-	compartment - soil		ng/kg dw (not specified)
	eatment plant	l	. (sewage treatment plant)
	ethylbenzene		(0
	ompartment - freshwater	0.4/1	(not specified)





Printing date 06.02.2025 Version: 11 (replaces version 10) Revision: 06.02.2025

Trade name: ZANDGUARD NOVACURE HR

	(Contd. of page 5)		
Aquatic compartment - marine water	0.01 mg/L (not specified)		
Aquatic compartment - water, intermittent releases	0.1 mg/L (not specified)		
Aquatic compartment - sediment in freshwater	13.7 mg/kg sed dw (not specified)		
Aquatic compartment - sediment in marine water	1.37 mg/kg sed dw (not specified)		
Terrestrial compartment - soil	2.68 mg/kg dw (not specified)		
Sewage treatment plant	9.6 mg/L (not specified)		
Oral secondary poisoning	0.02 mg/kg food (not specified)		
Reaction products of fatty acids, tall oil and fatty acids, C18 unsaturated, trimers and fatty acids, C18 unsaturated, dimers with (9Z)-octadec-9-en-1-amine			
Aquatic compartment - freshwater	0.194 mg/L (freshwater)		
Aquatic compartment - marine water	0.019 mg/L (marine water)		
Aquatic compartment - water, intermittent releases	0.097 mg/L (intermittent release water)		
Aquatic compartment - sediment in freshwater	29.6 mg/kg sed dw (sediment fresh water)		
Aquatic compartment - sediment in marine water	2.96 mg/kg sed dw (sediment marine water)		
Terrestrial compartment - soil	120 mg/kg dw (soil)		
Sewage treatment plant	100 mg/L (sewage treatment plant)		
Oral secondary poisoning	0.416 mg/kg food (food sec poisoning)		

Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne

contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapour or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.

- Appropriate engineering controls No further data; see section 7.
- Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

Provide readily accessible eye wash stations and safety showers.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. If

workers are exposed to concentrations above the exposure limit, they must use appropriate, certified respirators. Use a properly fitted, air-purifying or air-fed

respirator complying with an approved standard if a risk assessment indicates this is necessary. For organic vapors and solvents type of filter A1 or A2, for dust type of filter P (according to EN 140)

Hand protection



Protective gloves

Chemical resistant gloves (EN 374)

Check protective gloves prior to each use for their proper condition.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Fluorocarbon rubber (Viton)

Nitrile rubber, NBR

(Contd. on page 7)



(Contd. of page 6)



Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 06.02.2025 Version: 11 (replaces version 10) Revision: 06.02.2025

Trade name: ZANDGUARD NOVACURE HR

Penetration time of glove material

KCL Vitoject 890

breakthrough time > 480 min.

thickness: 0,7 mm

at limited contact KCL Camatril 730 breakthrough time 30 min.

thickness: 0,4 mm

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be

- Not suitable are gloves made of the following materials: All other materials
- Eye/face protection



Tightly sealed goggles

Safety glasses according to EN 166 or equivalent

Body protection:

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved before the product is used by a specialist. If there is a risk of ignition by static electricity, anti-static protective clothing should be worn. For the best

protection against static discharge, clothing should consist of anti-static overalls, boots and gloves. For further information on materials and design requirements and test methods consult the European standard EN 1149.

Environmental exposure controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

· General Information

· Physical state

According to product specification · Colour: · Odour: Characteristic

· Odour threshold: Not determined. · Melting point/freezing point: Undetermined.

Boiling point or initial boiling point and boiling

range 108 °C (78-83-1 butanol) · Flammability Flammable.

Lower and upper explosion limit · Lower:

Not determined. · Upper: Not determined. 30 °C · Flash point:

· Auto-ignition temperature: 390 °C (78-83-1 butanol)

Decomposition temperature: Not determined. · pH Not determined. · Viscosity:

at 40 °C: > 20,5 mm²/s · Kinematic viscosity

· Dynamic at 20 °C: 1,100 mPas Solubility

· water: Not miscible or difficult to mix. · Partition coefficient n-octanol/water (log value) Not determined.

· Vapour pressure: Not determined. · Density and/or relative density

Density at 20 °C: ~1.74-~1.83 g/cm3 · Relative density

Not determined.

(Contd. on page 8)



Printing date 06.02.2025 Version: 11 (replaces version 10) Revision: 06.02.2025

Trade name: ZANDGUARD NOVACURE HR

	(Contd. of page
· Vapour density	Not determined.
9.2 Other information	
Appearance:	
Form:	Fluid
Important information on protection of health and environment, and on safety.	d
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product is not explosive. However, formation of
Explosive properties.	explosive air/vapour mixtures are possible.
Change in condition	orproduction and tapean mixtures and peoples.
Evaporation rate	Not determined.
Information with regard to physical hazard classe	25
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Flammable liquid and vapour.
Flammable solids	Void
Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable	
gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC5	0 valu	es relevant for classification:	
1330-20	-		
Oral	LD50	3,523 mg/kg (rat)	
Dermal	LD50	2,000 mg/kg (rabbit)	
78-83-1	78-83-1 butanol		
Oral	LD50	2,460 mg/kg (rat)	
Dermal	LD50	3,400 mg/kg (rabbit)	
1	-	lbenzene	
Oral	LD50	3,500 mg/kg (rat)	
		(Contd. on page 9)	

ontd. on page 9 -





Printing date 06.02.2025 Version: 11 (replaces version 10) Revision: 06.02.2025

Trade name: ZANDGUARD NOVACURE HR

(Contd. of page 8)

Dermal LD50 17,800 mg/kg (rabbit)

- Primary irritant effect:
- · Skin corrosion/irritation Causes skin irritation.
- · Serious eye damage/irritation Causes serious eye damage.
- Respiratory or skin sensitisation May cause an allergic skin reaction.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
- Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic to	Aquatic toxicity: 1330-20-7 xylene				
I					
EC50/72 h	EC50/72 h 2.2 mg/l (algae)				
EC50/48 h	>3.4 mg/l (Ceriodaphnia dubia)				
LC50/96 h	LC50/96 h 2.6 mg/l (Oncorhynchus mykiss)				
LC50/24 h	1 mg/l (Daphnia magna)				
78-83-1 bu	78-83-1 butanol				
LC50/96 h	1.33-2.03 mg/l (fish)				
LC50/48 h	1.03-1.19 mg/l (crustaceans)				
100-41-4 et	100-41-4 ethylbenzene				
EC50/72 h	3.6-4.2 mg/l (algae)				
EC50/24 h	2.2 mg/l (Daphnia magna)				
LC50/96 h	LC50/96 h 4.2 mg/l (Oncorhynchus mykiss)				

- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Remark: Toxic for fish
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Danger to drinking water if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 10)





Printing date 06.02.2025 Version: 11 (replaces version 10) Revision: 06.02.2025

Trade name: ZANDGUARD NOVACURE HR

	(Contd. of page 9)	
· European	waste catalogue	
08 00 00	WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS	
08 01 00	wastes from MFSU and removal of paint and varnish	
08 01 11*	1* waste paint and varnish containing organic solvents or other hazardous substances	
HP3	Flammable	
HP4	Irritant - skin irritation and eye damage	
HP13	Sensitising	
HP14	Ecotoxic	

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

Transport in accordance with ADR/RID, IMDG and ICAO/IATA.

- · 14.1 UN number or ID number
- · ADR/RID/ADN, IMDG, IATA
- · 14.2 UN proper shipping name
- · ADR/RID/ADN 1263 PAINT, ENVIRONMENTALLY HAZARDOUS

UN1263

- · IMDG PAINT, MARINE POLLUTANT
- · IATA PAINT
- · 14.3 Transport hazard class(es)
- · ADR/RID/ADN, IMDG





- · Class 3 Flammable liquids.
- · Label 3
- ·IATA



- · Class 3 Flammable liquids.
- · Label 3
- · 14.4 Packing group
- · ADR/RID/ADN, IMDG, IATA III
- 14.5 Environmental hazards: Product contains environmentally hazardous substances:
 - bis[4-(2,3-epoxypropoxy)phenyl]propane
- Marine pollutant: Symbol (fish and tree)
 Special marking (ADR/RID/ADN): Symbol (fish and tree)
- 14.6 Special precautions for user Warning: Flammable liquids.
- · Hazard identification number (Kemler code): 30 · EMS Number: F-E,S-E
- · EMS Number: F-E,S-E · Stowage Category A
- 14.7 Maritime transport in bulk according to IMO
- **instruments** Not applicable.

(Contd. on page 11)





Printing date 06.02.2025 Version: 11 (replaces version 10) Revision: 06.02.2025

Trade name: ZANDGUARD NOVACURE HR

	(Contd. of page
· Transport/Additional information:	
· ADR/RID/ADN	
· Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
,	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
· Transport category	3
Tunnel restriction code	D/E
· IMDG	
· Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
1 1 7	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 1263 PAINT, 3, III, ENVIRONMENTALLY
-	HAZARDOUS

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category

E2 Hazardous to the Aquatic Environment

P5c FLAMMABLE LIQUIDS

- · Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

- · REGULATION (EU) 2019/1148
- · Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

108-88-3 toluene

3

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

108-88-3 toluene

3

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Classification according to Regulation (EC) No 1272/2008

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

- · Contact: J. Dijkstra
- Date of previous version: 20.04.2023
- Version number of previous version: 10

(Contd. on page 12)





Printing date 06.02.2025 Version: 11 (replaces version 10) Revision: 06.02.2025

Trade name: ZANDGUARD NOVACURE HR

(Contd. of page 11)

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids - Category 2

Flam. Liq. 3: Flammable liquids - Category 3

Acute Tox. 4: Acute toxicity – Category 4
Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Skin Sens. 1: Skin sensitisation – Category 1

Skin Sens. 1A: Skin sensitisation – Category 1A
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2
Asp. Tox. 1: Aspiration hazard – Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

· Sources

- ECHA European Chemical Agency http://echa.europa.eu/information-on-chemicals
- SDS of raw materials supplied by producer/supplier.
- * Data compared to the previous version altered.