Printing date 06.02.2025

Version: 24 (replaces version 23)

Revision: 06.02.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1 Product identifier Trade name: ZANCOR FD · Article number: D20-1 · UFI: 1UTC-P18U-3009-8QV9 1.2 Relevant identified uses of the substance or mixture and uses advised against · Sector of Use SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites SU19 Building and construction work SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen) · Product category PC9a Coatings and paints, thinners, paint removers Process category PROC7 Industrial spraying PROC10 Roller application or brushing PROC19 Manual activities involving hand contact PROC13 Treatment of articles by dipping and pouring · Application of the substance / the mixture solvent based, one component alkyd coating 1.3 Details of the supplier of the safety data sheet · Manufacturer/Supplier: Zandleven Coatings B.V. Snekertrekweg 57-59, 8912 AA Leeuwarden, Netherlands Tel: +31 58 2129545 Fax: +31 58 2155996 E-mail: info@zandleven.com Internet: www.zandleven.com · Further information obtainable from: R&D department: sds@zandleven.com · 1.4 Emergency telephone number: Nationaal Vergiftigingen Informatie +31 (0)88 755 8000 ORFILA (INRS) : + 33 (0)1 45 42 59 59 Centres Antipoison et de Toxicovigilance ANGERS: 02 41 48 21 21 BORDEAUX: 05 56 96 40 80 LILLE: 0800 59 59 59 LYON: 04 72 11 69 11 MARSEILLE: 04 91 75 25 25 NANCY: 03 83 22 50 50 PARIS: 01 40 05 48 48 STRASBOURG: 03 88 37 37 37 TOULOUSE: 05 61 77 74 47 Giftnotruf der Charité, Berlin: 030/19240 Giftinformationszentrum-Nord der Länder Bremen, Hamburg, Niedersachsen und Schleswig-Holstein (GIZ-Nord) :0551/19 240 Informationszentrale gegen Vergiftungen Zentrum für Kinderheilkunde Universitätsklinikum Bonn: 0228/19240 Giftnotruf Erfurt Gemeinsames Giftinformationszentrum der Länder Mecklenburg-Vorpommern, Sachsen, Sachsen-Anhalt und Thüringen: 0361/730 730 Informations- und Beratungszentrum für Vergiftungsfälle Klinik für Kinder- und Jugendmedizin Universitätsklinikum des Saarlandes: 06841/19240 Giftinformationszentrum der Länder Rheinland-Pfalz und Hessen - Klinische Toxikologie - Universitätsmedizin der Johannes Gutenberg-Universität Mainz: 06131/19240 Vergiftungs-Informations-Zentrale Zentrum für Kinder- und Jugendmedizin Universitätsklinikum: 0761/19240 Giftnotruf München Toxikologische Abteilung der II. Med. Klinik und Poliklinik: 089/19240 Supplier +31 (0)58 2677590 (during office hours) **SECTION 2: Hazards identification**

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

- Flam. Liq. 3H226 Flammable liquid and vapour.Skin Irrit. 2H315 Causes skin irritation.
- Skin Init. 2 Hoto Causes skin Initation
- Eye Irrit. 2 H319 Causes serious eye irritation.
- STOT SE 3 H335 May cause respiratory irritation.


(Contd. on page 2)

Printing date 06.02.2025

Version: 24 (replaces version 23)

Revision: 06.02.2025

Trade name: ZANCOR FD



vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

- · Description: Mixture of substances listed below with nonhazardous additions.
- Dangerous components:
- Percentages of the components are expressed as a percentage by weight

CAS: 1330-20-7 EINECS: 215-535-7 Index number: 601-022-00-9 Reg.nr.: 01-2119488216-32	xylene Flam. Liq. 3, H226; Asp. Tox. 1, H304; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	10-25%
CAS: 128601-23-0 EC number: 918-668-5 Reg.nr.: 01-2119455851-35	C9-aromatics Image: Second State Image: Secon	10-25%
CAS: 100-41-4 EINECS: 202-849-4 Index number: 601-023-00-4 Reg.nr.: 01-2119489370-35	ethylbenzene Flam. Liq. 2, H225; STOT RE 2, H373; Asp. Tox. 1, H304; Acute Tox. 4, H332; Aquatic Chronic 3, H412	2.5-10%
CAS: 78-83-1 EINECS: 201-148-0 Index number: 603-108-00-1 Reg.nr.: 01-2119484609-23	butanol	1-2.5%
CAS: 84418-68-8 EINECS: 282-780-4 Reg.nr.: 01-2120770060-67	Zinc neodecanoat Aquatic Acute 1, H400; Aquatic Chronic 2, H411;	<1% td. on page 3)

Printing date 06.02.2025

Version: 24 (replaces version 23)

Revision: 06.02.2025

Trade name: ZANCOR FD

• Additional information: For the wording of the listed hazard phrases refer to section 16.

(Contd. of page 2)

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately rinse with water.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures
- Wear protective equipment. Keep unprotected persons away.
- 6.2 Environmental precautions:
- Do not allow product to reach sewage system or any water course.
- Inform respective authorities in case of seepage into water course or sewage system.
- Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- Dispose contaminated material as waste according to section 13.
- Ensure adequate ventilation.
- 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace.
- Prevent formation of aerosols.
- \cdot Information about fire and explosion protection:
- Keep ignition sources away Do not smoke.
- Protect against electrostatic charges.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- \cdot Requirements to be met by storerooms and receptacles:

Store material in original, well-closed packages in a cool, well-ventilated area according to local regulations. Information about storage in one common storage facility: Not required.

• Further information about storage conditions: Keep container tightly sealed.

Printing date 06.02.2025

Version: 24 (replaces version 23)

Revision: 06.02.2025

(Contd. of page 3)

Trade name: ZANCOR FD

Recommended storage temperature: 5 - 30 °C
 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

1330-20-7	ts with limit values that require mor		•
	nort-term value: 442 mg/m³, 100 ppm		
Long-term value: 221 mg/m ³ , 50 ppm			
Sk			
	ethylbenzene		
	nort-term value: 884 mg/m³, 200 ppm		
LC	ng-term value: 442 mg/m³, 100 ppm		
	rived No Effect Level) for workers:		
1330-20-7			
Dermal	Long-term - systemic effects, worker	212 ma/ka	bw/day (worker)
	Acute - systemic effects, worker	442 mg/m ³	
minalative	Acute - local effects, worker	442 mg/m ³	
	Long-term - systemic effects, worker	-	. ,
	Long-term - local effects, worker	221 mg/m ³	
128601-23	3-0 C9-aromatics	g/	()
Dermal	Long-term - systemic effects, worker	12.5 mg/kg	bw/day (human)
Inhalative	Long-term - systemic effects, worker		
	ethylbenzene	<u> </u>	< , , , , , , , , , , , , , , , , , , ,
Dermal	Long-term - systemic effects, worker	180 mg/kg	bw/day (worker)
Inhalative Acute - local effects, worker 293 mg/m ³ (worker)		(worker)	
	Long-term - systemic effects, worker	77 mg/m³ (worker)
78-83-1 b	utanol		
Inhalative	Long-term - local effects, worker	310 mg/m ³	(worker)
DNEL (De	rived No Effect Level) for the gener	al polulatio	n:
1330-20-7	xylene		
Oral	Long-term - systemic effects, general	l population	12.5 mg/kg bw/day (general population)
Dermal	Long-term - systemic effects, general	l population	125 mg/kg bw/day (general population)
Inhalative	Acute - systemic effects, general pop	ulation	260 mg/m³ (general population)
	Acute - local effects, general populati	ion	260 mg/m³ (general population)
	Long-term - systemic effects, general	l population	65.3 mg/m³ (general population)
	Long-term - local effects, general pop	oulation	65.3 mg/m ³ (general population)
128601-23	3-0 C9-aromatics		
Oral	Long-term - systemic effects, general	l population	7.5 mg/kg bw/day (human)
Dermal	Long-term - systemic effects, general	l population	7.5 mg/kg bw/day (human)
Inhalative	Long-term - systemic effects, general	l population	32 mg/m³ (human)
100-41-4	ethylbenzene		
Oral	Long-term - systemic effects, general population 1.6 mg/kg bw/day (general population)		
Inhalative	Long-term - systemic effects, general	l population	15 mg/m ³ (general population)
78-83-1 b			
Inhalative	Long-term - local effects, general pop	oulation	55 mg/m³ (general population)
PNEC (Pr	edicted No Effect Concentration) va	lues:	
	xylene		

(Contd. on page 5)

⁻ EU

Printing date 06.02.2025

Version: 24 (replaces version 23)

Revision: 06.02.2025

Trade name: ZANCOR FD

	(Contd. of page	
Aquatic compartment - marine water	0.327 mg/L (marine water)	
Aquatic compartment - water, intermittent releases 0.327 mg/L (intermittent release water)		
Aquatic compartment - sediment in freshwater 12.46 mg/kg sed dw (sediment fresh water)		
Aquatic compartment - sediment in marine water	12.46 mg/kg sed dw (sediment marine water)	
Terrestrial compartment - soil	2.31 mg/kg dw (soil)	
Sewage treatment plant	6.58 mg/L (sewage treatment plant)	
100-41-4 ethylbenzene		
Aquatic compartment - freshwater	0.1 mg/L (not specified)	
Aquatic compartment - marine water	0.01 mg/L (not specified)	
Aquatic compartment - water, intermittent releases	0.1 mg/L (not specified)	
Aquatic compartment - sediment in freshwater	13.7 mg/kg sed dw (not specified)	
Aquatic compartment - sediment in marine water	1.37 mg/kg sed dw (not specified)	
Terrestrial compartment - soil	2.68 mg/kg dw (not specified)	
Sewage treatment plant 9.6 mg/L (not specified)		
Oral secondary poisoning	0.02 mg/kg food (not specified)	
78-83-1 butanol		
Aquatic compartment - freshwater	0.4 mg/L (freshwater)	
Aquatic compartment - marine water	0.04 mg/L (marine water)	
Aquatic compartment - water, intermittent releases	11 mg/L (intermittent release water)	
Aquatic compartment - sediment in freshwater	1.52 mg/kg sed dw (sediment fresh water)	
Aquatic compartment - sediment in marine water	0.152 mg/kg sed dw (sediment marine water)	
Terrestrial compartment - soil 0.0699 mg/kg dw (not specified)		
Sewage treatment plant	10 mg/L (sewage treatment plant)	
84418-68-8 Zinc neodecanoat		
Aquatic compartment - freshwater	0.0896 mg/L (freshwater)	
Aquatic compartment - marine water	uatic compartment - marine water 0.0265 mg/L (marine water)	
Aquatic compartment - sediment in freshwater 512.2 mg/kg sed dw (sediment fresh water)		
Aquatic compartment - sediment in marine water	245.7 mg/kg sed dw (sediment marine water)	
Terrestrial compartment - soil	154.8 mg/kg dw (soil)	
Sewage treatment plant	0.4348 mg/L (sewage treatment plant)	
Oral secondary poisoning	0.02 mg/kg food (food sec poisoning)	
Additional information: The lists valid during the r	naking were used as basis.	

Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne

contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapour or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment. **Appropriate engineering controls** No further data; see section 7.

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

Provide readily accessible eye wash stations and safety showers.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. If

workers are exposed to concentrations above the exposure limit, they must use appropriate, certified respirators. Use a properly fitted, air-purifying or air-fed

respirator complying with an approved standard if a risk assessment indicates this is necessary.

For organic vapors and solvents type of filter A1 or A2, for dust type of filter P (according to EN 140)

Printing date 06.02.2025

Version: 24 (replaces version 23)

Revision: 06.02.2025

(Contd. of page 5)

Trade name: ZANCOR FD

Hand protection
 Protective gloves
 Chemical resistant gloves (EN 374)
 Check protective gloves prior to each use for their proper condition.
 The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
 Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Fluorocarbon rubber (Viton) Nitrile rubber, NBR

· Penetration time of glove material

KCL Vitoject 890 breakthrough time > 480 min. thickness: 0,7 mm

at limited contact KCL Camatril 730 breakthrough time 30 min. thickness: 0,4 mm The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- Not suitable are gloves made of the following materials: All other materials
- Eye/face protection



Tightly sealed goggles

Safety glasses according to EN 166 or equivalent

Body protection:

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved before the product is used by a specialist.

If there is a risk of ignition by static electricity, anti-static protective clothing should be worn. For the best protection against static discharge, clothing should consist of anti-static overalls, boots and gloves. For further information on materials and design requirements and test methods consult the European standard EN 1149.

Environmental exposure controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and che General Information	emical properties	
Physical state Liquid Colour: According to product specification Odour: Characteristic Odour threshold: Not determined. Melting point/freezing point: Undetermined.		
Boiling point or initial boiling point and b	oiling	
range	137-143 °C (1330-20-7 xylene)	
Flammability	Flammable.	
		(Contd. on page 7

Printing date 06.02.2025

Version: 24 (replaces version 23)

Revision: 06.02.2025

Trade name: ZANCOR FD

	(Contd. of page	
Lower and upper explosion limit		
Lower:	0.7 Vol % (Hydrocarbons, C9, aromatics)	
Upper:	7.5 Vol % (Hydrocarbons, C9, aromatics)	
Flash point:	30 °C (1330-20-7 xylene)	
Auto-ignition temperature:	450 °C (Hydrocarbons, C9, aromatics)	
Decomposition temperature:	Not determined.	
pH	Not determined.	
Viscosity:		
Kinematic viscosity	at 40 °C: > 20,5 mm²/s	
Dynamic at 20 °C:	700 mPas	
Solubility		
water:	Not miscible or difficult to mix.	
Partition coefficient n-octanol/water (log value)	Not determined.	
Vapour pressure at 20 °C:	6.7-8.2 hPa (1330-20-7 xylene)	
Density and/or relative density		
Density at 20 °C:	>1.21-<1.24 g/cm³	
Relative density	Not determined.	
Vapour density	Not determined.	
. ,	Hot dotominod.	
9.2 Other information		
Appearance:		
Form:	Fluid	
Important information on protection of health and		
environment, and on safety.		
Ignition temperature:	Product is not selfigniting.	
Explosive properties: Product is not explosive. However, formation		
	explosive air/vapour mixtures are possible.	
Change in condition		
Evaporation rate	Not determined.	
Information with regard to physical hazard classes	;	
Explosives	Void	
Flammable gases	Void	
Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Flammable liquid and vapour.	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit flammable		
gases in contact with water		
Dxidising liquids Void		
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
	Void	
Desensitised explosives	volu	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.

· 10.5 Incompatible materials: No further relevant information available.

(Contd. on page 8)

[—] EU -

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 06.02.2025

Version: 24 (replaces version 23)

Revision: 06.02.2025

(Contd. of page 7)

Trade name: ZANCOR FD

• **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

SECTION 11: Toxicological information

• 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 • Acute toxicity Based on available data, the classification criteria are not met.

- · LD/LC50 values relevant for classification:
- 1330-20-7 xylene

 Oral
 LD50
 3,523 mg/kg (rat)

 Dermal
 LD50
 2,000 mg/kg (rabbit)
- 128601-23-0 C9-aromatics Oral LD50 5,558-7,093 mg/kg (rat)
 - Dermal LD50 2,000-3,160 mg/kg (rabbit)
- 100-41-4 ethylbenzene
- Oral LD50 3,500 mg/kg (rat)
- Dermal LD50 17,800 mg/kg (rabbit)
- 78-83-1 butanol
 - Oral LD50 2,460 mg/kg (rat)

Dermal LD50 3,400 mg/kg (rabbit)

84418-68-8 Zinc neodecanoat Oral LD50 2,000-5,000 mg/

LD50 2,000-5,000 mg/kg (mouse)

3,640 mg/kg (rat)

Primary irritant effect:

- · Skin corrosion/irritation Causes skin irritation.
- · Serious eye damage/irritation Causes serious eye irritation.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.

 \cdot Carcinogenicity Based on available data, the classification criteria are not met.

- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure May cause respiratory irritation.
- STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic to	· Aquatic toxicity:		
	1330-20-7 xylene		
EC50/72 h	2.2 mg/l (algae)		
EC50/48 h	>3.4 mg/l (Ceriodaphnia dubia)		
LC50/96 h	2.6 mg/l (Oncorhynchus mykiss)		
LC50/24 h	1 mg/l (Daphnia magna)		
100-41-4 e	100-41-4 ethylbenzene		
EC50/72 h	3.6-4.2 mg/l (algae)		
EC50/24 h	2.2 mg/l (Daphnia magna)		
LC50/96 h	4.2 mg/l (Oncorhynchus mykiss)		
78-83-1 bu	tanol		
LC50/96 h	1.33-2.03 mg/l (fish)		
LC50/48 h	1.03-1.19 mg/l (crustaceans)		

(Contd. on page 9)

EU

Printing date 06.02.2025

Version: 24 (replaces version 23)

Revision: 06.02.2025

(Contd. of page 8)

Trade name: ZANCOR FD

84418-68-8 Zinc neodecanoat

EC50/48 h 0.155-2.909 mg/l (aquatic invertebrates)

LC50/96 h 0.112-2.92 mg/l (fish)

12.2 Persistence and degradability No further relevant information available.

- **12.3 Bioaccumulative potential** No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- vPvB: Not applicable.

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- 12.7 Other adverse effects
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground. Harmful to aquatic organisms

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

European waste catalogue		
08 00 00	WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS	
08 01 00	wastes from MFSU and removal of paint and varnish	
08 01 11*	waste paint and varnish containing organic solvents or other hazardous substances	
HP3	Flammable	
HP4	Irritant - skin irritation and eye damage	
HP5	Specific Target Organ Toxicity (STOT)/Aspiration Toxicity	
HP6	Acute Toxicity	
HP14	Ecotoxic	

· Uncleaned packaging:

• **Recommendation:** Disposal must be made according to official regulations.

Transport in accordance with ADR/RID, I	MDG and ICAO/IATA.	
14.1 UN number or ID number		
ADR/RID/ADN, ADN, IMDG	Void	
ΙΑΤΑ	UN1263	
14.2 UN proper shipping name		
ADR/RID/ADN, ADN, IMDG	Void	
IATA	PAINT	

Printing date 06.02.2025

Version: 24 (replaces version 23)

Revision: 06.02.2025

Trade name: ZANCOR FD

	(Contd. of page
· 14.3 Transport hazard class(es)	
· ADR/RID/ADN, ADN, IMDG · Class	Void
·IATA	
· Class	3 Flammable liquids.
· Label	3
· 14.4 Packing group	
ADR/RID/ADN, IMDG	Void
·IATA	III
 14.5 Environmental hazards: Marine pollutant: 	No
· 14.6 Special precautions for user	Not applicable.
 14.7 Maritime transport in bulk according instruments 	to IMO Not applicable.
• Transport/Additional information:	
ADR/RID/ADN	
· Remarks:	Up to 450 litre exempted according to ADR 2.2.3.1.5.
· IMDG · Remarks:	Up to 450 litre: Transport in accordance with Packs 2.3.2.5 of the IMDG Code.
· IATA · Remarks:	The "viscosity exemption" provisions do NOT apply to air transport.
· UN "Model Regulation":	Void

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· Seveso category P5c FLAMMABLE LIQUIDS

Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t

- Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

· REGULATION (EU) 2019/1148

 Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

(Contd. on page 11)

EU -

Printing date 06.02.2025

Version: 24 (replaces version 23)

Revision: 06.02.2025

(Contd. of page 10)

Trade name: ZANCOR FD

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Classification according to Regulation (EC) No 1272/2008 The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008. · Department issuing SDS: Product safety department. · Contact: J. Dijkstra Date of previous version: 19.04.2023 · Version number of previous version: 23 Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids - Category 2 Flam. Liq. 3: Flammable liquids - Category 3 Acute Tox. 4: Acute toxicity - Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2 Asp. Tox. 1: Aspiration hazard – Category 1 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3 · Sources - ECHA European Chemical Agency - http://echa.europa.eu/information-on-chemicals - SDS of raw materials supplied by producer/supplier. ** Data compared to the previous version altered.

(