Printing date 06.02.2025

Version: 2 (replaces version 1)

Revision: 06.02.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1 Product identifier Trade name: MONOGROND DL · Article number: G1-1 · UFI: QN2D-R12X-Y00A-FSW5 1.2 Relevant identified uses of the substance or mixture and uses advised against Sector of Use SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen) SU19 Building and construction work · Product category PC9a Coatings and paints, thinners, paint removers Process category PROC7 Industrial spraying PROC10 Roller application or brushing PROC19 Manual activities involving hand contact PROC13 Treatment of articles by dipping and pouring · Application of the substance / the mixture solvent based, one component alkyd coating 1.3 Details of the supplier of the safety data sheet · Manufacturer/Supplier: Zandleven Coatings B.V. Snekertrekweg 57-59, 8912 AA Leeuwarden, Netherlands Tel: +31 58 2129545 Fax: +31 58 2155996 E-mail: info@zandleven.com Internet: www.zandleven.com · Further information obtainable from: R&D department: sds@zandleven.com · 1.4 Emergency telephone number: Nationaal Vergiftigingen Informatie +31 (0)88 755 8000 ORFILA (INRS) : + 33 (0)1 45 42 59 59 Centres Antipoison et de Toxicovigilance ANGERS: 02 41 48 21 21 BORDEAUX: 05 56 96 40 80 LILLE: 0800 59 59 59 LYON: 04 72 11 69 11 MARSEILLE: 04 91 75 25 25 NANCY: 03 83 22 50 50 PARIS: 01 40 05 48 48 STRASBOURG: 03 88 37 37 37 TOULOUSE: 05 61 77 74 47 Giftnotruf der Charité, Berlin: 030/19240 Giftinformationszentrum-Nord der Länder Bremen, Hamburg, Niedersachsen und Schleswig-Holstein (GIZ-Nord) :0551/19 240 Informationszentrale gegen Vergiftungen Zentrum für Kinderheilkunde Universitätsklinikum Bonn: 0228/19240 Giftnotruf Erfurt Gemeinsames Giftinformationszentrum der Länder Mecklenburg-Vorpommern, Sachsen, Sachsen-Anhalt und Thüringen: 0361/730 730 Informations- und Beratungszentrum für Vergiftungsfälle Klinik für Kinder- und Jugendmedizin Universitätsklinikum des Saarlandes: 06841/19240 Giftinformationszentrum der Länder Rheinland-Pfalz und Hessen - Klinische Toxikologie - Universitätsmedizin der Johannes Gutenberg-Universität Mainz: 06131/19240 Vergiftungs-Informations-Zentrale Zentrum für Kinder- und Jugendmedizin Universitätsklinikum: 0761/19240 Giftnotruf München Toxikologische Abteilung der II. Med. Klinik und Poliklinik: 089/19240 Supplier +31 (0)58 2677590 (during office hours)

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Flam. Liq. 3 H226 Flammable liquid and vapour.

Eye Irrit. 2 H319 Causes serious eye irritation.

(Contd. on page 2)

⁻ EU


Printing date 06.02.2025

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Version: 2 (replaces version 1)

Revision: 06.02.2025

Trade name: MONOGROND DL



· PBT: Not applicable.

· vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:

Percentages of the components are expressed as a percentage by weight

Reg.nr.: 01-2119463258-33 aromatics @ Flam. Liq. 3, H226; @ Asp. Tox. 1, H304; ① STOT SE 3, H336, EUH066 1-2 CAS: 78-83-1 butanol EINECS: 201-148-0 Index number: 603-108-00-1 Index number: 603-108-00-1 Reg.nr.: 01-2119484609-23 CAS: 1330-20-7 STOT SE 3, H335-H336 EINECS: 215-535-7 xylene Index number: 601-022-00-9 Reg.nr.: 01-2119488216-32 Reg.nr.: 01-211948216-32 H335 CAS: 84418-68-8 Zinc neodecanoat EINECS: 282-780-4 Aquatic Acute 1, H400; Aquatic Chronic 2, H411; ① Acute Tox. 4, H302 CAS: 77-99-6 propylidynetrimethanol Reg.nr.: 01-2119486799-10 0-	0 1		
Image: Properties of the system of the sy			10-25%
EUH066 1-2 CAS: 78-83-1 butanol 1-2 EINECS: 201-148-0 Arana Araba 1-2 Index number: 603-108-00-1 STOT SE 3, H335-H336 1-2 CAS: 1330-20-7 Xylene 1-2 EINECS: 215-535-7 Flam. Liq. 3, H226; Asp. Tox. 1, H304; Acute Tox. 4, H312; 1-2 Index number: 601-022-00-9 Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335 1-2 CAS: 84418-68-8 Zinc neodecanoat 4335 EINECS: 282-780-4 Aquatic Acute 1, H400; Aquatic Chronic 2, H411; Acute Tox. 4, H302 CAS: 77-99-6 propylidynetrimethanol 0- Reg.nr.: 01-2119486799-10 Repr. 2, H361fd 0-	Reg.nr.: 01-2119463258-33		
EINECS: 201-148-0 Index number: 603-108-00-1 Flam. Liq. 3, H226; Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335-H336 CAS: 1330-20-7 xylene 1-2 EINECS: 215-535-7 Flam. Liq. 3, H226; Asp. Tox. 1, H304; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335 1-2 CAS: 1330-20-7 xylene 1-2 EINECS: 215-535-7 Flam. Liq. 3, H226; Asp. Tox. 1, H304; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335 1-2 CAS: 84418-68-8 Zinc neodecanoat EINECS: 282-780-4 Aquatic Acute 1, H400; Aquatic Chronic 2, H411; Acute Tox. 4, H302 CAS: 77-99-6 propylidynetrimethanol 0- Reg.nr.: 01-2119486799-10 Repr. 2, H361fd 0-			
Index number: 603-108-00-1 STOT SE 3, H335-H336 1-2 Reg.nr.: 01-2119484609-23 xylene 1-2 CAS: 1330-20-7 xylene 1-2 EINECS: 215-535-7 Flam. Liq. 3, H226; Asp. Tox. 1, H304; Acute Tox. 4, H312; Acute Tox. 4, H312; Index number: 601-022-00-9 Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335 CAS: 84418-68-8 Zinc neodecanoat Aquatic Acute 1, H400; Aquatic Chronic 2, H411; Acute Tox. 4, <	CAS: 78-83-1		1-2.5%
CAS: 1330-20-7 xylene 1-2 EINECS: 215-535-7 Flam. Liq. 3, H226; Asp. Tox. 1, H304; Acute Tox. 4, H312; Acute Tox. 4, H312; Index number: 601-022-00-9 Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335 CAS: 84418-68-8 Zinc neodecanoat Aquatic Acute 1, H400; Aquatic Chronic 2, H411; Acute Tox. 4, Acute Tox. 4, Reg.nr.: 01-2120770060-67 Propylidynetrimethanol 0-<	Index number: 603-108-00-1	♦ Flam. Liq. 3, H226; ♦ Eye Dam. 1, H318; ♦ Skin Irrit. 2, H315; STOT SE 3, H335-H336	
EINECS: 215-535-7 Image: Flam. Liq. 3, H226; Asp. Tox. 1, H304; Acute Tox. 4, H312; Index number: 601-022-00-9 Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, Reg.nr.: 01-2119488216-32 H335 CAS: 84418-68-8 Zinc neodecanoat EINECS: 282-780-4 Aquatic Acute 1, H400; Aquatic Chronic 2, H411; Acute Tox. 4, Reg.nr.: 01-2120770060-67 H302 CAS: 77-99-6 propylidynetrimethanol Reg.nr.: 01-2119486799-10 Image: Repr. 2, H361fd	•		4.0.5%
Reg.nr.: 01-2119488216-32 H335 CAS: 84418-68-8 Zinc neodecanoat EINECS: 282-780-4 Aquatic Acute 1, H400; Aquatic Chronic 2, H411; Acute Tox. 4, H302 CAS: 77-99-6 propylidynetrimethanol Reg.nr.: 01-2119486799-10 Image: Repr. 2, H361fd			1-2.5%
EINECS: 282-780-4 Aquatic Acute 1, H400; Aquatic Chronic 2, H411; Acute Tox. 4, H302 CAS: 77-99-6 propylidynetrimethanol 0-<			
Reg.nr.: 01-2120770060-67 H302 CAS: 77-99-6 propylidynetrimethanol Reg.nr.: 01-2119486799-10 Image: Reprint 2, H361fd	CAS: 84418-68-8	Zinc neodecanoat	<1%
Reg.nr.: 01-2119486799-10 🚯 Repr. 2, H361fd			
5 Vicpin 2, 100 Ma	CAS: 77-99-6	propylidynetrimethanol	0-<1%
• Additional information: For the wording of the listed bazard phrases refer to section 16	Reg.nr.: 01-2119486799-10	🗞 Repr. 2, H361fd	
Automational mornation. For the wording of the instead hazard phrases feler to section 10.	· Additional information: For	the wording of the listed hazard phrases refer to section 16.	

(Contd. on page 3)

Printing date 06.02.2025

Version: 2 (replaces version 1)

Revision: 06.02.2025

Trade name: MONOGROND DL

(Contd. of page 2)

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Immediately rinse with water.
- After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures
- Wear protective equipment. Keep unprotected persons away.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

- Ensure adequate ventilation.
- 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling Use only in well ventilated areas.
- · Information about fire and explosion protection:

Keep ignition sources away - Do not smoke. Protect against electrostatic charges.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Store material in original, well-closed packages in a cool, well-ventilated area according to local regulations. • Information about storage in one common storage facility: Not required.

- Further information about storage conditions: Keep container tightly sealed.
- · Recommended storage temperature: 5 30 °C
- · 7.3 Specific end use(s) No further relevant information available.

(Contd. on page 4)

FU

Printing date 06.02.2025

Version: 2 (replaces version 1)

Revision: 06.02.2025

(Contd. of page 3)

Trade name: MONOGROND DL

	N 8: Exposure controls/perso		
	ol parameters ts with limit values that require mor	itoring of (
1330-20-7	-	intoring at	ne workplace:
IOELV Short-term value: 442 mg/m³, 100 ppm Long-term value: 221 mg/m³, 50 ppm Skin			
	rived No Effect Level) for workers:		
78-83-1 bi	utanol		
Inhalative	Long-term - local effects, worker	310 mg/m ³	(worker)
1330-20-7	xylene		
Dermal	Long-term - systemic effects, worker	212 mg/kg	bw/day (worker)
Inhalative	Acute - systemic effects, worker	442 mg/m ³	(worker)
	Acute - local effects, worker	442 mg/m ³	(worker)
	Long-term - systemic effects, worker	221 mg/m ³	(worker)
	Long-term - local effects, worker	221 mg/m ³	(worker)
-	opylidynetrimethanol		
	Long-term - systemic effects, worker		
Inhalative	Long-term - systemic effects, worker	19.54 mg/r	n³ (worker)
DNEL (De	rived No Effect Level) for the genera	al polulatio	n:
78-83-1 bi	utanol		
Inhalative	Long-term - local effects, general pop	oulation	55 mg/m³ (general population)
1330-20-7	xylene		
Oral	Long-term - systemic effects, general	population	12.5 mg/kg bw/day (general population)
Dermal	Long-term - systemic effects, general	population	125 mg/kg bw/day (general population)
Inhalative	Acute - systemic effects, general pop	ulation	260 mg/m³ (general population)
	Acute - local effects, general populati	on	260 mg/m³ (general population)
	Long-term - systemic effects, general	population	65.3 mg/m³ (general population)
	Long-term - local effects, general pop	oulation	65.3 mg/m³ (general population)
77-99-6 pr	opylidynetrimethanol		•
Oral	Long-term - systemic effects, general	population	0.34 mg/kg bw/day (general population)
Dermal	Long-term - systemic effects, general	population	0.34 mg/kg bw/day (gnd)
Inhalative	Long-term - systemic effects, general	population	0.58 mg/m³ (gni)
PNEC (Pro	edicted No Effect Concentration) va	lues:	
78-83-1 bu	utanol		
Aquatic co	mpartment - freshwater	0.4 mg/	L (freshwater)
Aquatic co	mpartment - marine water	0.04 mg	g/L (marine water)
			(intermittent release water)
			g/kg sed dw (sediment fresh water)
			ng/kg sed dw (sediment marine water)
		0.0699	mg/kg dw (not specified)
Sewage treatment plant		10 mg/L	. (sewage treatment plant)
1330-20-7 xylene			
			ng/L (freshwater)
			ng/L (marine water)
Aquatic compartment - water, intermittent releases			ng/L (intermittent release water)
Aquatic compartment - sediment in freshwater			ng/kg sed dw (sediment fresh water)
Aquatic compartment - sediment in marine water			ng/kg sed dw (sediment marine water)
Terrestrial	compartment - soil	2.31 mg	g/kg dw (soil)
• •	eatment plant	6 58 mg	g/L (sewage treatment plant)

Printing date 06.02.2025

Version: 2 (replaces version 1)

Revision: 06.02.2025

Trade name: MONOGROND DL

84418-68-8 Zinc neodecanoat	
Aquatic compartment - freshwater	0.0896 mg/L (freshwater)
Aquatic compartment - marine water	0.0265 mg/L (marine water)
Aquatic compartment - sediment in freshwater	512.2 mg/kg sed dw (sediment fresh water)
Aquatic compartment - sediment in marine water	245.7 mg/kg sed dw (sediment marine water)
Terrestrial compartment - soil	154.8 mg/kg dw (soil)
Sewage treatment plant	0.4348 mg/L (sewage treatment plant)
Oral secondary poisoning	0.02 mg/kg food (food sec poisoning)

· Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne

contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapour or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.

• Appropriate engineering controls No further data; see section 7.

Individual protection measures, such as personal protective equipment General protective and hygienic measures:

Provide readily accessible eye wash stations and safety showers.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

Respiratory protection:

Use suitable respiratory protective device in case of insufficient ventilation.

Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. If

workers are exposed to concentrations above the exposure limit, they must use appropriate, certified respirators. Use a properly fitted, air-purifying or air-fed

respirator complying with an approved standard if a risk assessment indicates this is necessary.

For organic vapors and solvents type of filter A1 or A2, for dust type of filter P (according to EN 140) Hand protection



Protective gloves

Chemical resistant gloves (EN 374)

Check protective gloves prior to each use for their proper condition.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Fluorocarbon rubber (Viton)

Nitrile rubber, NBR

Penetration time of glove material

KCL Camatril 730 / Best Nitri-solve 730

breakthrough time > 480 min.

thickness: 0,4 / 0,38 mm

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Not suitable are gloves made of the following materials: Disposables

(Contd. on page 6)

EU

Printing date 06.02.2025

Version: 2 (replaces version 1)

Revision: 06.02.2025

Trade name: MONOGROND DL

(Contd. of page 5)

Tightly sealed goggles

Safety glasses according to EN 166 or equivalent

Body protection:

· Eye/face protection

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved before the product is used by a specialist.

If there is a risk of ignition by static electricity, anti-static protective clothing should be worn. For the best protection against static discharge, clothing should consist of anti-static overalls, boots and gloves. For further information on materials and design requirements and test methods consult the European standard EN 1149.

Environmental exposure controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical pro	operties
General Information	
Physical state	Liquid
· Colour:	According to product specification
· Odour:	Characteristic
Odour threshold:	Not determined.
• Melting point/freezing point:	Undetermined.
Boiling point or initial boiling point and boiling	
range	36 °C (Hydrocarbons, C9-C11, n-alkanes, isoalkanes,
	cyclics, < 2% aromatics)
· Flammability	Flammable.
⁻ Lower and upper explosion limit	
· Lower:	Not determined.
· Upper:	Not determined.
· Flash point:	40 °C (Hydrocarbons, C9-C11, n-alkanes, isoalkanes,
	cyclics, < 2% aromatics)
 Decomposition temperature: 	Not determined.
∙рН	Not determined.
· Viscosity:	
Kinematic viscosity	at 40 °C: > 20,5 mm²/s
Dynamic at 20 °C:	700 mPas
Solubility	
water:	Not miscible or difficult to mix.
 Partition coefficient n-octanol/water (log value) 	Not determined.
Vapour pressure:	Not determined.
Density and/or relative density	
· Density at 20 °C:	~1.43-~1.45 g/cm³
Relative density	Not determined.
Vapour density	Not determined.
• 9.2 Other information	
· Appearance:	
Form:	Fluid
· Important information on protection of health and	
environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product is not explosive. However, formation of
	explosive air/vapour mixtures are possible.
	(Contd. on page 7)



Printing date 06.02.2025

Version: 2 (replaces version 1)

Revision: 06.02.2025

Trade name: MONOGROND DL

		(Contd. of page 6)
· Change in condition		
• Evaporation rate	Not determined.	
· Information with regard to physical hazard c	lasses	
Explosives	Void	
Flammable gases	Void	
Aerosols	Void	
· Oxidising gases	Void	
· Gases under pressure	Void	
Flammable liquids	Flammable liquid and vapour.	
Flammable solids	Void	
 Self-reactive substances and mixtures 	Void	
· Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
· Substances and mixtures, which emit flamm	able	
gases in contact with water	Void	
• Oxidising liquids	Void	
Oxidising solids	Void	
· Organic peroxides	Void	
Corrosive to metals	Void	
 Desensitised explosives 	Void	

SECTION 10: Stability and reactivity

• **10.1 Reactivity** No further relevant information available.

10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions No dangerous reactions known.

• **10.4 Conditions to avoid** No further relevant information available.

· 10.5 Incompatible materials: No further relevant information available.

· 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity Based on available data, the classification criteria are not met.

LD/LC5	 LD/LC50 values relevant for classification: 		
Hydroc	Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2% aromatics		
Oral	LD50	>5,000 mg/kg (rat)	
Dermal	LD50	>5,000 mg/kg (rab)	
78-83-1	78-83-1 butanol		
Oral	LD50	2,460 mg/kg (rat)	
Dermal	LD50	3,400 mg/kg (rabbit)	
1330-20	1330-20-7 xylene		
Oral	LD50	3,523 mg/kg (rat)	
Dermal	LD50	2,000 mg/kg (rabbit)	
84418-6	84418-68-8 Zinc neodecanoat		
Oral	LD50	2,000-5,000 mg/kg (mouse)	
		3,640 mg/kg (rat)	
	77-99-6 propylidynetrimethanol		
Oral	Oral LD50 14,100 mg/kg (rat)		
	Primary irritant effect:		
	Skin corrosion/irritation Based on available data, the classification criteria are not met.		
Serious	• Serious eye damage/irritation Causes serious eye irritation.		

(Contd. on page 8)

⁻ EU

Printing date 06.02.2025

Version: 2 (replaces version 1)

Revision: 06.02.2025

Trade name: MONOGROND DL

- (Contd. of page 7)
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- \cdot Carcinogenicity Based on available data, the classification criteria are not met.

• Reproductive toxicity Based on available data, the classification criteria are not met.

• STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

• Aspiration hazard Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information				
· 12.1 Toxic	· 12.1 Toxicity			
	· Aquatic toxicity:			
•	78-83-1 butanol			
	1.33-2.03 mg/l (fish)			
	1.03-1.19 mg/l (crustaceans)			
1330-20-7	xylene			
EC50/72 h	2.2 mg/l (algae)			
	>3.4 mg/l (Ceriodaphnia dubia)			
LC50/96 h	2.6 mg/l (Oncorhynchus mykiss)			
	1 mg/l (Daphnia magna)			
84418-68-	8 Zinc neodecanoat			
EC50/48 h	0.155-2.909 mg/l (aquatic invertebrates)			
LC50/96 h	0.112-2.92 mg/l (fish)			
 12.3 Bioa 12.4 Mobi 12.5 Resu PBT: Not vPvB: Not 12.6 Endo The produ 12.7 Othe Additiona General n Water haz Do not allo 	applicable. crine disrupting properties ct does not contain substances with endocrine disrupting properties. r adverse effects I ecological information:			
SECTION 13: Disposal considerations				
• 13.1 Waste treatment methods • Recommendation Must not be disposed together with household garbage. Do not allow product to reach sewage system. • European waste catalogue 08 00 00 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF				
	COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS			
	wastes from MFSU and removal of paint and varnish			
08 01 11*	waste paint and varnish containing organic solvents or other hazardous substances			

HP3 Flammable

(Contd. on page 9)

— EU

Printing date 06.02.2025

Version: 2 (replaces version 1)

Revision: 06.02.2025

(Contd. of page 8)

Trade name: MONOGROND DL

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information	on
Transport in accordance with ADR/RID, IMD	G and ICAO/IATA.
· 14.1 UN number or ID number · ADR/RID/ADN, IMDG · IATA	Void UN1263
 14.2 UN proper shipping name ADR/RID/ADN, IMDG IATA 	Void PAINT
· 14.3 Transport hazard class(es)	
· ADR/RID/ADN, ADN, IMDG · Class	Void
· Class · Label	3 Flammable liquids. 3
 14.4 Packing group ADR/RID/ADN, IMDG IATA 	Void III
· 14.5 Environmental hazards:	Not applicable.
· 14.6 Special precautions for user	Not applicable.
 14.7 Maritime transport in bulk according instruments 	to IMO Not applicable.
• Transport/Additional information:	
· ADR/RID/ADN	
· Remarks:	Up to 450 litre exempted according to ADR 2.2.3.1.5.
· IMDG · Remarks:	Up to 450 litre: Transport in accordance with Packs 2.3.2.5 of the IMDG Code.
· IATA · Remarks:	The "viscosity exemption" provisions do NOT apply to air transport.
· UN "Model Regulation":	Void

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

- · Named dangerous substances ANNEX I None of the ingredients is listed.
- Seveso category P5c FLAMMABLE LIQUIDS
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t

(Contd. on page 10)

– EU

3

3

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 06.02.2025

Version: 2 (replaces version 1)

Revision: 06.02.2025

Trade name: MONOGROND DL

(Contd. of page 9)

• REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3 • DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and

electronic equipment – Annex II

None of the ingredients is listed.

· REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

108-88-3 toluene

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

108-88-3 toluene

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Classification according to Regulation (EC) No 1272/2008
 The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.
 Contact: J. Dijkstra
 Version number of previous version: 1

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

- DNEL: Derived No-Effect Level (REACH)
- PNEC: Predicted No-Effect Concentration (REACH)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 3: Flammable liquids – Category 3

Acute Tox. 4: Acute toxicity – Category 4

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Eye Irrit. 2: Serious eye damage/eye irritation - Category 2

Repr. 2: Reproductive toxicity – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

Asp. Tox. 1: Aspiration hazard - Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

Sources

- ECHA European Chemical Agency - http://echa.europa.eu/information-on-chemicals

- SDS of raw materials supplied by producer/supplier.

- EU