Printing date 06.02.2025

Version: 17 (replaces version 16)

Revision: 06.02.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1 Product identifier Trade name: MONOCHLOR IJZERGLIMMER MV · Article number: D23-1 · UFI: D31D-M1NT-F00E-JNE0 1.2 Relevant identified uses of the substance or mixture and uses advised against · Sector of Use SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites SU19 Building and construction work SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen) · Product category PC9a Coatings and paints, thinners, paint removers Process category PROC7 Industrial spraying PROC10 Roller application or brushing PROC19 Manual activities involving hand contact PROC13 Treatment of articles by dipping and pouring · Application of the substance / the mixture solvent based, one component chlorinated rubber coating 1.3 Details of the supplier of the safety data sheet · Manufacturer/Supplier: Zandleven Coatings B.V. Snekertrekweg 57-59, 8912 AA Leeuwarden, Netherlands Tel: +31 58 2129545 Fax: +31 58 2155996 E-mail: info@zandleven.com Internet: www.zandleven.com · Further information obtainable from: R&D department: sds@zandleven.com · 1.4 Emergency telephone number: Nationaal Vergiftigingen Informatie +31 (0)88 755 8000 ORFILA (INRS) : + 33 (0)1 45 42 59 59 Centres Antipoison et de Toxicovigilance ANGERS: 02 41 48 21 21 BORDEAUX: 05 56 96 40 80 LILLE: 0800 59 59 59 LYON: 04 72 11 69 11 MARSEILLE: 04 91 75 25 25 NANCY: 03 83 22 50 50 PARIS: 01 40 05 48 48 STRASBOURG: 03 88 37 37 37 TOULOUSE: 05 61 77 74 47 Giftnotruf der Charité, Berlin: 030/19240 Giftinformationszentrum-Nord der Länder Bremen, Hamburg, Niedersachsen und Schleswig-Holstein (GIZ-Nord) :0551/19 240 Informationszentrale gegen Vergiftungen Zentrum für Kinderheilkunde Universitätsklinikum Bonn: 0228/19240 Giftnotruf Erfurt Gemeinsames Giftinformationszentrum der Länder Mecklenburg-Vorpommern, Sachsen, Sachsen-Anhalt und Thüringen: 0361/730 730 Informations- und Beratungszentrum für Vergiftungsfälle Klinik für Kinder- und Jugendmedizin Universitätsklinikum des Saarlandes: 06841/19240 Giftinformationszentrum der Länder Rheinland-Pfalz und Hessen - Klinische Toxikologie - Universitätsmedizin der Johannes Gutenberg-Universität Mainz: 06131/19240 Vergiftungs-Informations-Zentrale Zentrum für Kinder- und Jugendmedizin Universitätsklinikum: 0761/19240 Giftnotruf München Toxikologische Abteilung der II. Med. Klinik und Poliklinik: 089/19240 Supplier +31 (0)58 2677590 (during office hours)

SECTION 2: Hazards identification

$^{\cdot}$ 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Flam. Liq. 3 H226 Flammable liquid and vapour.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

(Contd. on page 2)

EU

Safety data sheet


according to Regulation (EC) No 1907/2006, Article 31

Revision: 06.02.2025

Printing date 06.02.2025

Version: 17 (replaces version 16)

Trade name: MONOCHLOR IJZERGLIMMER MV



SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

• Dangerous components:

Percentages of the components are expressed as a percentage by weight

CAS: 128601-23-0 EC number: 918-668-5 Reg.nr.: 01-2119455851-35	C9-aromatics Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Chronic 2, H411; Acute Tox. 4, H312; STOT SE 3, H335-H336, EUH066	10-25%
EC number: 919-857-5 Reg.nr.: 01-2119463258-33	Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2% aromatics Flam. Liq. 3, H226; Asp. Tox. 1, H304; STOT SE 3, H336, EUH066	2.5-10%
CAS: 1330-20-7 EINECS: 215-535-7 Index number: 601-022-00-9 Reg.nr.: 01-2119488216-32	xylene Flam. Liq. 3, H226; SAsp. Tox. 1, H304; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	2.5-10%
CAS: 112-07-2 EINECS: 203-933-3 Index number: 607-038-00-2 Reg.nr.: 01-2119475112-47	2-butoxyethyl acetate	2.5-10%
CAS: 100-41-4 EINECS: 202-849-4 Index number: 601-023-00-4 Reg.nr.: 01-2119489370-35	ethylbenzene Flam. Liq. 2, H225; STOT RE 2, H373; Asp. Tox. 1, H304; Acute Tox. 4, H332; Aquatic Chronic 3, H412	1-2.5%
CAS: 108-88-3 EINECS: 203-625-9 Index number: 601-021-00-3 Reg.nr.: 01-2119471310-51	toluene ∲ Flam. Liq. 2, H225; ∲ Repr. 2, H361d; STOT RE 2, H373; Asp. Tox. 1, H304; ∲ Skin Irrit. 2, H315; STOT SE 3, H336	<1%

Printing date 06.02.2025

Version: 17 (replaces version 16)

Revision: 06.02.2025

Trade name: MONOCHLOR IJZERGLIMMER MV

(Contd. of page 2)

· Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- · After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- · 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures
- Wear protective equipment. Keep unprotected persons away.
- **6.2 Environmental precautions:** Do not allow product to reach sewage system or any water course.
- Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- Dispose contaminated material as waste according to section 13.
- Ensure adequate ventilation.
- 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling Use only in well ventilated areas.
- Information about fire and explosion protection:
- Keep ignition sources away Do not smoke.
- Protect against electrostatic charges.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles:
- Store material in original, well-closed packages in a cool, well-ventilated area according to local regulations.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- Recommended storage temperature: 5 30 °C

(Contd. on page 4)

EU

Printing date 06.02.2025

Version: 17 (replaces version 16)

Revision: 06.02.2025

(Contd. of page 3)

Trade name: MONOCHLOR IJZERGLIMMER MV

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

-	nts with limit values that require mor	nitoring at the workplace:		
1330-20-7				
	hort-term value: 442 mg/m³, 100 ppm			
S	ong-term value: 221 mg/m³, 50 ppm kin			
	2-butoxyethyl acetate			
	hort-term value: 333 mg/m³, 50 ppm			
	ong-term value: 133 mg/m³, 20 ppm kin			
	ethylbenzene			
	hort-term value: 884 mg/m³, 200 ppm			
	ong-term value: 442 mg/m ³ , 100 ppm			
	Skin			
108-88-3	toluene			
	hort-term value: 384 mg/m³, 100 ppm			
	ong-term value: 192 mg/m³, 50 ppm			
	kin			
-	erived No Effect Level) for workers:			
	3-0 C9-aromatics			
Dermal	Long-term - systemic effects, worker			
	Long-term - systemic effects, worker	151 mg/m³ (human)		
1330-20-7				
Dermal	Long-term - systemic effects, worker			
Inhalative	Acute - systemic effects, worker	442 mg/m³ (worker)		
	Acute - local effects, worker	442 mg/m³ (worker)		
	Long-term - systemic effects, worker	,		
	Long-term - local effects, worker	221 mg/m³ (worker)		
112-07-2	2-butoxyethyl acetate			
Dermal	Acute - systemic effects, worker	102 mg/kg bw/day (worker)		
	Long-term - systemic effects, worker	102 mg/kg bw/day (worker)		
Inhalative	Acute - systemic effects, worker	775 mg/m³ (worker)		
	Long-term - systemic effects, worker	133 mg/m³ (worker)		
100-41-4	ethylbenzene			
Dermal	Long-term - systemic effects, worker			
Inhalative	Acute - local effects, worker	293 mg/m³ (worker)		
	Long-term - systemic effects, worker	77 mg/m³ (worker)		
108-88-3				
Dermal	Long-term - systemic effects, worker	384 mg/kg bw/day (worker)		
Inhalative	Acute - systemic effects, worker	384 mg/m³ (worker)		
	Acute - local effects, worker	384 mg/m³ (worker)		
	Long-term - systemic effects, worker	192 mg/m³ (worker)		
	Long-term - local effects, worker	192 mg/m³ (worker)		
DNEL (De	erived No Effect Level) for the gener	al polulation:		
128601-2	3-0 C9-aromatics			
Oral	Long-term - systemic effects, genera	l population 7.5 mg/kg bw/day (human)		
Dermal	Long-term - systemic effects, genera	l population 7.5 mg/kg bw/day (human)		
Inhalative				

⁻ EU

Printing date 06.02.2025

Version: 17 (replaces version 16)

Revision: 06.02.2025

Trade name: MONOCHLOR IJZERGLIMMER MV

1330-20-7	xvlene		(Contd. of pag
Oral		pulation	12.5 mg/kg bw/day (general population)
Dermal	Long-term - systemic effects, general po	-	125 mg/kg bw/day (general population)
	Acute - systemic effects, general popula		260 mg/m ³ (general population)
	Acute - local effects, general population		260 mg/m³ (general population)
	Long-term - systemic effects, general population	nulation	65.3 mg/m ³ (general population)
	Long-term - local effects, general popula	-	65.3 mg/m ³ (general population)
112-07-2 4	2-butoxyethyl acetate		03.3 mg/m (general population)
Oral	Acute - systemic effects, general popula	tion	18 mg/kg bw/day (general population)
Orai	Long-term - systemic effects, general popula		
Dermal	Acute - systemic effects, general polulat	-	27 mg/kg bw/day (general population)
Dennai	Long-term - systemic effects, general politic		
Inholotivo	Acute - systemic effects, general population		
Innalative		lion	499 mg/m ³ (general population)
	Acute - local effects, general population		166 mg/m³ (general population)
100 11 1	Long-term - systemic effects, general po	pulation	67 mg/m ² (general population)
	ethylbenzene	nulation	1.6 malka buldou (apparal population)
Oral	Long-term - systemic effects, general po		
	Long-term - systemic effects, general po	pulation	15 mg/m ³ (general population)
108-88-3 1			
Oral		-	8.13 mg/kg bw/day (general population)
Dermal	Long-term - systemic effects, general po	-	
Inhalative	Acute - systemic effects, general population		226 mg/m³ (general population)
	Acute - local effects, general population		226 mg/m³ (general population)
	Long-term - systemic effects, general population		,
	Long-term - local effects, general population		56.5 mg/m³ (general population)
PNEC (Pr	edicted No Effect Concentration) value	s:	
1330-20-7	xylene		
Aquatic co	ompartment - freshwater	0.327 m	g/L (freshwater)
Aquatic co	ompartment - marine water	0.327 m	g/L (marine water)
Aquatic co	mpartment - water, intermittent releases	0.327 m	g/L (intermittent release water)
Aquatic co	ompartment - sediment in freshwater	12.46 m	g/kg sed dw (sediment fresh water)
Aquatic co	ompartment - sediment in marine water	12.46 m	g/kg sed dw (sediment marine water)
Terrestrial	compartment - soil	2.31 mg	/kg dw (soil)
Sewage tr	eatment plant	6.58 mg	/L (sewage treatment plant)
112-07-2	2-butoxyethyl acetate		
Aquatic co	ompartment - freshwater	0.304 m	g/L
Aquatic co	ompartment - marine water	0.0304 ı	ng/L
Aquatic co	ompartment - water, intermittent releases	0.56 mg	/L
Aquatic compartment - water, intermittent releases		-	/kg sed dw
		-	g/kg sed dw
-	Aquatic compartment - sediment in marine water		/kg dw (not specified)
Aquatic co	-	0.68 ma	/kg uw (not specified)
Aquatic co Terrestrial	compartment - soil	-	,
Aquatic co Terrestrial Sewage tr	compartment - soil eatment plant	90 mg/L	
Aquatic co Terrestrial Sewage tr Oral secor	compartment - soil eatment plant ndary poisoning	-	
Aquatic co Terrestrial Sewage tr Oral secor 100-41-4	compartment - soil eatment plant ndary poisoning ethylbenzene	90 mg/L 60 mg/k	g food
Aquatic co Terrestrial Sewage tr Oral secon 100-41-4 Aquatic co	compartment - soil eatment plant ndary poisoning ethylbenzene ompartment - freshwater	90 mg/L 60 mg/k 0.1 mg/l	g food _ (not specified)
Aquatic co Terrestrial Sewage tr Oral secon 100-41-4 Aquatic co Aquatic co	compartment - soil eatment plant ndary poisoning ethylbenzene ompartment - freshwater ompartment - marine water	90 mg/L 60 mg/k 0.1 mg/l 0.01 mg	g food _ (not specified) /L (not specified)
Aquatic cc Terrestrial Sewage tr Oral secon 100-41-4 Aquatic cc Aquatic cc Aquatic cc	compartment - soil eatment plant ndary poisoning ethylbenzene ompartment - freshwater ompartment - marine water ompartment - water, intermittent releases	90 mg/L 60 mg/k 0.1 mg/l 0.01 mg/l 0.1 mg/l	g food _ (not specified) /L (not specified) _ (not specified)
Aquatic co Terrestrial Sewage tr Oral secon 100-41-4 Aquatic co Aquatic co Aquatic co Aquatic co	compartment - soil eatment plant ndary poisoning ethylbenzene ompartment - freshwater ompartment - marine water ompartment - water, intermittent releases ompartment - sediment in freshwater	90 mg/L 60 mg/k 0.1 mg/l 0.01 mg/l 0.1 mg/l 13.7 mg	g food _ (not specified) /L (not specified) _ (not specified) /kg sed dw (not specified)
Aquatic co Terrestrial Sewage tr Oral secon 100-41-4 Aquatic co Aquatic co Aquatic co Aquatic co Aquatic co	compartment - soil eatment plant ndary poisoning ethylbenzene ompartment - freshwater ompartment - marine water ompartment - water, intermittent releases	90 mg/L 60 mg/k 0.1 mg/l 0.01 mg/l 0.1 mg/l 13.7 mg 1.37 mg	g food _ (not specified) /L (not specified) _ (not specified)

Printing date 06.02.2025

Version: 17 (replaces version 16)

Revision: 06.02.2025

Trade name: MONOCHLOR IJZERGLIMMER MV

	(Contd. of page 5)
Sewage treatment plant	9.6 mg/L (not specified)
Oral secondary poisoning	0.02 mg/kg food (not specified)
108-88-3 toluene	
Aquatic compartment - freshwater	0.68 mg/L (not specified)
Aquatic compartment - marine water	0.68 mg/L (not specified)
Aquatic compartment - water, intermittent releases	0.68 mg/L (not specified)
Aquatic compartment - sediment in freshwater	16.39 mg/kg sed dw (not specified)
Aquatic compartment - sediment in marine water	16.39 mg/kg sed dw (not specified)
Terrestrial compartment - soil	2.89 mg/kg dw (not specified)
Sewage treatment plant	13.61 mg/L (not specified)
· Additional information: The lists valid during the r	naking were used as basis.

8.2 Exposure controls

Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne

contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapour or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.

· Appropriate engineering controls No further data; see section 7.

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

Provide readily accessible eye wash stations and safety showers.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Respiratory protection:

Use suitable respiratory protective device in case of insufficient ventilation.

Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. If

workers are exposed to concentrations above the exposure limit, they must use appropriate, certified respirators. Use a properly fitted, air-purifying or air-fed

respirator complying with an approved standard if a risk assessment indicates this is necessary.

For organic vapors and solvents type of filter A1 or A2, for dust type of filter P (according to EN 140) Hand protection



Protective gloves

Chemical resistant gloves (EN 374)

Check protective gloves prior to each use for their proper condition.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Fluorocarbon rubber (Viton)

Nitrile rubber, NBR

Penetration time of glove material KCL Camatril 730 / Best Nitri-solve 730

breakthrough time > 240 min.

thickness: 0,4 / 0,38 mm

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Not suitable are gloves made of the following materials: Disposables

(Contd. on page 7)

EU

Printing date 06.02.2025

Version: 17 (replaces version 16)

Revision: 06.02.2025

Trade name: MONOCHLOR IJZERGLIMMER MV

(Contd. of page 6)

· Eye/face protection Tightly sealed goggles Safety glasses according to EN 166 or equivalent **Body protection:** Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved before the product is used by a specialist. If there is a risk of ignition by static electricity, anti-static protective clothing should be worn. For the best protection against static discharge, clothing should consist of anti-static overalls, boots and gloves. For further information on materials and design requirements and test methods consult the European standard EN 1149. Environmental exposure controls Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels. SECTION 9: Physical and chemical properties 9.1 Information on basic physical and chemical properties General Information · Physical state Liquid · Colour: According to product specification · Odour: Characteristic · Odour threshold: Not determined. · Melting point/freezing point: Undetermined. · Boiling point or initial boiling point and boiling 36 °C (Hydrocarbons, C9-C11, n-alkanes, isoalkanes, range cyclics, < 2% aromatics) Flammable. · Flammability Lower and upper explosion limit · Lower: 0.7 Vol % (Hydrocarbons, C9, aromatics) · Upper: 7.5 Vol % (Hydrocarbons, C9, aromatics) · Flash point: 30 °C • Auto-ignition temperature: 450 °C (Hydrocarbons, C9, aromatics) Decomposition temperature: Not determined. · pH Not determined. · Viscosity: Kinematic viscosity at 40 °C: > 20,5 mm²/s · Dynamic at 20 °C: 1,500 mPas · Solubility · water: Not miscible or difficult to mix. · Partition coefficient n-octanol/water (log value) Not determined. · Vapour pressure at 20 °C: 2 hPa (Hydrocarbons, C9, aromatics) · Density and/or relative density Density at 20 °C: >1.41-<1.44 g/cm3 · Relative density Not determined. · Vapour density Not determined. • 9.2 Other information · Appearance: · Form: Fluid · Important information on protection of health and environment, and on safety. · Ignition temperature: Product is not selfigniting. · Explosive properties: Product is not explosive. However, formation of explosive air/vapour mixtures are possible.

> (Contd. on page 8) EU

FU

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 06.02.2025

Version: 17 (replaces version 16)

Revision: 06.02.2025

Trade name: MONOCHLOR IJZERGLIMMER MV

		(Contd. of page 7)
· Change in condition		
· Evaporation rate	Not determined.	
· Information with regard to physical hazard cl	asses	
Explosives	Void	
[·] Flammable gases	Void	
Aerosols	Void	
· Oxidising gases	Void	
[·] Gases under pressure	Void	
· Flammable liquids	Flammable liquid and vapour.	
Flammable solids	Void	
 Self-reactive substances and mixtures 	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
 Self-heating substances and mixtures 	Void	
Substances and mixtures, which emit flamm	able	
gases in contact with water	Void	
· Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
· Desensitised explosives	Void	

SECTION 10: Stability and reactivity

• **10.1 Reactivity** No further relevant information available.

10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions No dangerous reactions known.

• **10.4 Conditions to avoid** No further relevant information available.

· 10.5 Incompatible materials: No further relevant information available.

· 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50	· LD/LC50 values relevant for classification:			
128601-2	3-0 C9-ar	romatics		
Oral	LD50	5,558-7,093 mg/kg (rat)		
Dermal	LD50	2,000-3,160 mg/kg (rabbit)		
Hydroca	rbons, C9	-C11, n-alkanes, isoalkanes, cyclics, < 2% aromatics		
Oral	LD50	>5,000 mg/kg (rat)		
Dermal	LD50	>5,000 mg/kg (rab)		
1330-20-	1330-20-7 xylene			
Oral	LD50	3,523 mg/kg (rat)		
Dermal	LD50	2,000 mg/kg (rabbit)		
112-07-2	2-butoxy	ethyl acetate		
Oral	LD50	1,880 mg/kg (rat)		
Dermal	LD50	1,480 mg/kg (rabbit)		
100-41-4	ethylben	zene		
Oral	LD50	3,500 mg/kg (rat)		
Dermal	LD50	17,800 mg/kg (rabbit)		
			(Contd. on page 9)	

List I

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 06.02.2025

Version: 17 (replaces version 16)

Revision: 06.02.2025

Trade name: MONOCHLOR IJZERGLIMMER MV

Oral	LD50	5,000 mg/kg (rat)	
Dermal	LD50	12,124 mg/kg (rabbit)	
Inhalative	LC50/4 h	5,320 mg/l (mouse)	

- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met. • **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.
- 11.2 Information on other hazards
- · Endocrine disrupting properties

115-86-6 triphenyl phosphate

SECTION 12: Ecological information

· 12.1 Toxicity

	Aquatic toxicity:					
1330-20-7 x	•					
	2.2 mg/l (algae)					
EC50/48 h	>3.4 mg/l (Ceriodaphnia dubia)					
LC50/96 h	2.6 mg/l (Oncorhynchus mykiss)					
LC50/24 h	1 mg/l (Daphnia magna)					
	butoxyethyl acetate					
EC50/72 h	1,570 mg/l (Pseudokirchnerella subcapitata)					
EC50/48 h	37 mg/l (Daphnia magna)					
EC50/24 h	>100 mg/l (crab)					
LC50/96 h	28.3 mg/l (Oncorhynchus mykiss)					
EC10/168 h	30.4 mg/l (Ceriodaphnia dubia)					
100-41-4 etl	•					
EC50/72 h	3.6-4.2 mg/l (algae)					
EC50/24 h	2.2 mg/l (Daphnia magna)					
LC50/96 h	4.2 mg/l (Oncorhynchus mykiss)					
108-88-3 to	luene					
EC50/72 h	12.5 mg/l (algae)					
EC50/48 h	3.8 mg/l (Daphnia magna)					
EC50/24 h	84 mg/l (microorganisms)					
LC50/96 h	5.5 mg/l (Oncorhynchus kisutch)					
LC50/48 h	15.5-310 mg/l (crustaceans)					
 12.3 Bioacc 12.4 Mobilit 12.5 Result PBT: Not ap vPvB: Not a 12.6 Endoc 	pplicable. rine disrupting properties For information on endocrine disrupting properties see section 11. adverse effects Irmful to fish					
	(Contd. on page 10					

Printing date 06.02.2025

Version: 17 (replaces version 16)

Revision: 06.02.2025

Trade name: MONOCHLOR IJZERGLIMMER MV

(Contd. of page 9)

· Additional ecological information:

· General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground. Harmful to aquatic organisms

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

European waste catalogue 08 00 00 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS 08 01 00 wastes from MFSU and removal of paint and varnish 08 01 11* waste paint and varnish containing organic solvents or other hazardous substances HP3 Flammable HP6 Acute Toxicity HP14 Ecotoxic

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

Transport in accordance with ADR/RID, IME	OG and ICAO/IATA.	
14.1 UN number or ID number ADR/RID/ADN, IMDG IATA	Void UN1263	
14.2 UN proper shipping name ADR/RID/ADN, IMDG IATA	Void PAINT	
14.3 Transport hazard class(es)		
ADR/RID/ADN, ADN, IMDG Class	Void	
Class Label	3 Flammable liquids. 3	
14.4 Packing group ADR/RID/ADN, IMDG IATA	Void III	
14.5 Environmental hazards: Marine pollutant:	Yes	
14.6 Special precautions for user	Not applicable.	

Printing date 06.02.2025

Version: 17 (replaces version 16)

Revision: 06.02.2025

Trade name: MONOCHLOR IJZERGLIMMER MV

	(Contd. of page 10
· 14.7 Maritime transport in bulk according	g to IMO
instruments	Not applicable.
· Transport/Additional information:	
· ADR/RID/ADN	
· Remarks:	Up to 450 litre exempted according to ADR 2.2.3.1.5.
· IMDG	
· Remarks:	Up to 450 litre: Transport in accordance with Packs 2.3.2.5 of the IMDG Code.
·IATA	
· Remarks:	The "viscosity exemption" provisions do NOT apply to air transport.
· UN "Model Regulation":	Void

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P5c FLAMMABLE LIQUIDS

· Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t

 \cdot Qualifying quantity (tonnes) for the application of upper-tier requirements $50,000\ t$

• REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3, 48

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

108-88-3 toluene

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

108-88-3 toluene

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Classification according to Regulation (EC) No 1272/2008

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

- · Contact: J. Dijkstra
- Date of previous version: 19.04.2023
- Version number of previous version: 16
- Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation

(Contd. on page 12)

3

3

EU

Printing date 06.02.2025

Version: 17 (replaces version 16)

Revision: 06.02.2025

Trade name: MONOCHLOR IJZERGLIMMER MV

(Contd. of page 11) ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids – Category 2 Flam. Liq. 3: Flammable liquids - Category 3 Acute Tox. 4: Acute toxicity – Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Repr. 2: Reproductive toxicity – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2 Asp. Tox. 1: Aspiration hazard – Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3 Sources - ECHA European Chemical Agency - http://echa.europa.eu/information-on-chemicals - SDS of raw materials supplied by producer/supplier. * Data compared to the previous version altered.

EU -